

foiler ETL

the durable and powerful hot air welder for tarps and banners



simple. good. affordable.

WELDY



For those who truly love their business!



foiler ETL



- Integrated laser beam for easy machine guidance
- Automatic driving and welding start
- Thick and thin tent or truck cover materials
- 20 or 30 mm weld seam widths for different requests



WELDY WELDY



Laser guide for more accuracy



Choose your suitable speed



Easy handling due to automatic driving and welding start

- Welding speed free adjustable up to 7.5 m/min
- Powerful hot air welder
- Additional weight to speed up efficiency
- Very strong and long-lasting blower

Technical data foiler ETL			
Voltage	V~	230	
Power consumption	W	1700	
Temperature	°C	80 - 480	
Speed	m/min	1.0 - 7.5	
Welding seam width	mm	20 or 30	
Size (L \times W \times H)	mm	445 x 276 × 280	
Weight	kg	11	
Protection class I		(1)	
Due to our continuing program of research and development, the specifications herein are subject to change without prior notice.			

WELDY







Order numbers

foiler ETL 20 mm weld seam, CN plug:	148.229
foiler ETL 30 mm weld seam, CN plug:	148.230
A	
Accessory not included with purchase:	
Additional weight for Weldy foiler ET and foiler ETL (3 kg)	131.849
energy 1600 hot air hand tool overlap welding kit (230 V) with EU plug: (including wide slot nozzle 20 and 40 mm plus pressure roller)	130.468

WELDY hot air hand tools



energy 3400 and 1600

- Professional tools for manual work
- The ideal supplement to the WELDY hot air welders
- Temperature up to 650°C
- A wide range of accessories
- Ideal for repair work

Hot air hand tool application examples



Overlap welding



Welding patches or any other repair work

WELDY



40 mm tarper TW3400

- Strong 3400 W hot air blower
- 40 mm welding nozzle
- · High welding quality
- Welds even thick roofing membranes
- · Guide bar for easy handling



Your Sales and Service partner

insta SM3

- Stationary table welding machine
- For truck covers and industrial fabrics manufacturer
- High speed 3 28 m/min
- Easy handling for overlap and hem/pipe welding

WELDY AG
Galileo-Strasse 10

CH-6056 Kaegiswil Switzerland